

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

Customer Name : ZhongShan Yonghui Chemical Co., Ltd.-Quality Assurance Department
Customer Address : LongChang Industrial Estate, ChangGuan Road, Western Area, Zhong Shan, Guangdong, China
Contact Phone Number : 0760-88559363-212
Contact Person : Liu Luyao

Report on the submitted sample(s) said to be Paint & Resin & Pigment & Additive & Solvent

Sample Source : Submitted By Customer
Sample Receiving Date : Dec.23.2017
Testing Period : From Dec.23.2017 to Jan.13.2018

Sample(s) Description:

| Item | Sample No. | Batch No. | Color |
|-----------|------------|-------------|-----------|
| <u>1</u> | ACA-100 | 1712CM-0303 | Clear |
| <u>2</u> | ACB-100 | 1712C-0019 | Clear |
| <u>3</u> | ACD-100 | 1712CM-0305 | Clear |
| <u>4</u> | ACF-100 | 1710CM-0404 | Clear |
| <u>5</u> | ACL-100 | 1712CM-0135 | Clear |
| <u>6</u> | ACM-100 | 1708CM-0508 | Milkiness |
| <u>7</u> | ACU-100 | 1707CM-0614 | Clear |
| <u>8</u> | AC-100 | 1712CM-0304 | Clear |
| <u>9</u> | AGD-100 | 1611CM-0645 | Milkiness |
| <u>10</u> | AG-100 | 1712C-0009 | Clear |
| <u>11</u> | AGL-100 | 1711CM-0025 | Clear |
| <u>12</u> | AHG-100 | 1712C-0019 | Clear |
| <u>13</u> | AK-04 | 1712CM-0112 | Yellowish |
| <u>14</u> | BA-100 | 1711CM-0483 | Clear |
| <u>15</u> | BH-100 | 1711CM-0489 | Clear |
| <u>16</u> | BHA-100 | 1710CM-0109 | Clear |
| <u>17</u> | BKA-100 | 1711CM-0320 | Clear |
| <u>18</u> | BKB-100 | 1710CM-0119 | Clear |
| <u>19</u> | DEA-100 | 1712CM-0078 | Clear |
| <u>20</u> | DES-100 | 1710CM-0345 | Clear |
| <u>21</u> | DE-100 | 1711CM-0443 | Clear |
| <u>22</u> | DH-100 | 1710CM-0322 | Clear |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 1 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Sample No. | Batch No. | Color |
|-----------|------------|----------------|-----------|
| <u>23</u> | DHG-100 | 1710CM-0322 | Clear |
| <u>24</u> | DKA-100 | 1707CM-0462 | Clear |
| <u>25</u> | DK-100 | 1710CM-0305 | Clear |
| <u>26</u> | DNA-100 | 1709CM-0325 | Clear |
| <u>27</u> | DNB-100 | 1708CM-0238 | Clear |
| <u>28</u> | DG-100 | 1709CM-0306 | Clear |
| <u>29</u> | DP-100 | 1705CM-0532 | Clear |
| <u>30</u> | NCA-1001 | 1711CM-0446 | Clear |
| <u>31</u> | NCB-100 | 1708C-0052 | Clear |
| <u>32</u> | NC-100 | 1711CM-0302 | Clear |
| <u>33</u> | NG-100 | 1708CM-0527 | Clear |
| <u>34</u> | UV-210 | 1711CM-0419 | Clear |
| <u>35</u> | N-200 | 2M171012 | Clear |
| <u>36</u> | PG-100 | 1710CM-0436 | Clear |
| <u>37</u> | PBG-100 | 1711CM-0052 | Khaki |
| <u>38</u> | PB-100 | 1710CM-0317 | Clear |
| <u>39</u> | ME-002 | 1712CM-0144 | Milkiness |
| <u>40</u> | PHA-100 | 1712CM-0150 | Clear |
| <u>41</u> | PHB-100 | 1712CM-0017 | Clear |
| <u>42</u> | PHG-100 | 1709CM-0323 | Clear |
| <u>43</u> | PH-100 | 1712CM-0136 | Clear |
| <u>44</u> | PMR-100 | 1709CM-0169 | Clear |
| <u>45</u> | PPA-100 | 171102 | Clear |
| <u>46</u> | PPD-100 | 1712C-0012 | Clear |
| <u>47</u> | PPGA-100 | 1703CM-0479 | Yellowish |
| <u>48</u> | PPS-100 | 1711CM-0374 | Clear |
| <u>49</u> | PPB-100A | 1712AM-2479 | Clear |
| <u>50</u> | PP-400 | 1709C-0025 | Clear |
| <u>51</u> | EVA-100Q/B | FN-5401-170803 | Clear |
| <u>52</u> | PRG-100 | 1709CM-0502 | Clear |
| <u>53</u> | PSB-100 | 1710CM-0261 | Clear |
| <u>54</u> | PSC-100 | 1704CM-0097 | Clear |
| <u>55</u> | PSE-100 | 1709CM-0424 | Clear |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 2 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Sample No. | Batch No. | Color |
|-----------|------------|-------------|-----------------|
| <u>56</u> | PSK-100 | 1708CM-0079 | Clear |
| <u>57</u> | PSS-100 | CF711271 | Clear |
| <u>58</u> | PS-100 | CF709021 | Clear |
| <u>59</u> | PT-100 | 1711CM-0233 | Clear |
| <u>60</u> | AP-100 | 20171025 | Clear |
| <u>61</u> | APR-100 | K17D07G1801 | Clear |
| <u>62</u> | PUA-100 | 1704CM-0440 | Slightly Turbid |
| <u>63</u> | PUB-100 | 1712CM-0043 | Turbid |
| <u>64</u> | PU-100 | 1711CM-0356 | Clear |
| <u>65</u> | SD-100 | 170930-912 | Clear |
| <u>66</u> | SMB-100 | 1707CM-0212 | Clear |
| <u>67</u> | SPP-100 | 1703CM-0144 | Milkiness |
| <u>68</u> | SP-310 | 1710C-0024 | Milkiness |
| <u>69</u> | SSA-100 | 1710CM-0219 | Lucency Yellow |
| <u>70</u> | TPU-100 | 1702CM-0478 | Clear |
| <u>71</u> | TPA-100 | 1711CM-0480 | Clear |
| <u>72</u> | WSA-100 | 1708CM-0296 | Clear |
| <u>73</u> | MPB-1000 | 1712K-0001 | Clear |
| <u>74</u> | MPA-1000 | 1712K-0017 | Clear |
| <u>75</u> | MGB-1020 | 1712K-0154 | White |
| <u>76</u> | MGA-1020 | 1712K-0156 | White |
| <u>77</u> | MLA-1000 | 1712K-0025 | Clear |
| <u>78</u> | MEB-1010 | 1712K-0301 | Clear |
| <u>79</u> | MEA-1010 | 1712K-0302 | Clear |
| <u>80</u> | MUB-1020 | 1712K-0205 | White |
| <u>81</u> | MUA-1020 | 1712K-0206 | White |
| <u>82</u> | MUG-200A | 1712K-0009 | Yellowish |
| <u>83</u> | MFB-1020 | 1712K-0016 | White |
| <u>84</u> | DEF-100 | 1712CM-0163 | Clear |
| <u>85</u> | DEE-100 | 1712CM-0004 | Clear |
| <u>86</u> | 801 | 20170928 | Silver |
| <u>87</u> | 819 | 20170719 | Silver |
| <u>88</u> | 815 | 20161024 | Silver |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 3 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Sample No. | Batch No. | Color |
|------------|------------|-------------|-----------------------|
| <u>89</u> | 826 | 20170720 | Silver |
| <u>90</u> | 802J | 170414 | Silver |
| <u>91</u> | 803 | 20160721 | Silver |
| <u>92</u> | 817 | 20170628 | Silver |
| <u>93</u> | 819A | 20161107 | Silver |
| <u>94</u> | 822 | 20170526 | Silver |
| <u>95</u> | 111 | 161959 | Fluorescent Green |
| <u>96</u> | 112 | 161345 | Fluorescent Yellow |
| <u>97</u> | 113 | 161631 | Fluorescent Peachblow |
| <u>98</u> | 115 | 170712 | Fluorescent Mauve |
| <u>99</u> | 116 | 170175 | Fluorescent Orange |
| <u>100</u> | 117 | 160530 | Fluorescent Red |
| <u>101</u> | 118 | 161859 | Fluorescent Blue |
| <u>102</u> | 121 | 17.08.23 | Pearl White |
| <u>103</u> | 122 | 17071703 | Gold Pearl |
| <u>104</u> | 102 | 1712CM-0083 | White |
| <u>105</u> | 201 | 1711CM-0277 | Thick Yellow |
| <u>106</u> | 202 | 1712CM-0122 | Middle Yellow |
| <u>107</u> | 203 | 1711CM-0030 | Lemon Yellow |
| <u>108</u> | 204 | 1712CM-0118 | Lemon Yellow |
| <u>109</u> | 301 | 1711CM-0411 | Bright Red |
| <u>110</u> | 302 | 1711CM-0413 | Cardinal Red |
| <u>111</u> | 305 | 1710CM-0297 | Orange |
| <u>112</u> | 306 | 1712CM-0173 | Salmon Pink |
| <u>113</u> | 401 | 1711CM-0477 | Indigo |
| <u>114</u> | 402 | 1709C-0002 | Mauve |
| <u>115</u> | 403 | 1711CM-0236 | Emerald Blue |
| <u>116</u> | 406 | 1712CM-0127 | Ultramarine |
| <u>117</u> | 501 | 1711CM-0508 | Black |
| <u>118</u> | 502 | 1709CM-0138 | Extremely Black |
| <u>119</u> | 601 | 1712CM-0066 | Green |
| <u>120</u> | S-1 | 17120602 | Clear |
| <u>121</u> | S-1A | 17112101 | Clear |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 4 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Sample No. | Batch No. | Color |
|------------|------------|-----------------|-------|
| <u>122</u> | S-3 | 2017112110 | Clear |
| <u>123</u> | S-4 | 17111701 | Clear |
| <u>124</u> | S-6 | 17112301 | Clear |
| <u>125</u> | S-8A | 17111601 | Clear |
| <u>126</u> | S-10 | 17111301 | Clear |
| <u>127</u> | S-11 | 17120101 | Clear |
| <u>128</u> | S-12 | 17110801 | Clear |
| <u>129</u> | S-14 | 17112801 | Clear |
| <u>130</u> | S-14A | 17120501 | Clear |
| <u>131</u> | S-15 | 17120502 | Clear |
| <u>132</u> | S-19 | ZLH11179 | Clear |
| <u>133</u> | S-20 | 17112701 | Clear |
| <u>134</u> | S-25 | 201711-9521 | Clear |
| <u>135</u> | S-33 | PMA201710111A03 | Clear |
| <u>136</u> | S-38 | C815H3BTC1 | Clear |
| <u>137</u> | S-44 | G150607-1N | Clear |
| <u>138</u> | S-45 | 20170913005 | Clear |
| <u>139</u> | S-48 | GZZL20060314 | Clear |
| <u>140</u> | S-52 | 20170908002 | Clear |
| <u>141</u> | S-54 | C442D71003 | Clear |



Prepared By:

郑姣姣

Zheng Jiaojiao
Lab Clerk

Checked By:

陈明红

Chen Lihong
Lab Supervisor

Approved By:

Kevin Yang

Kevin Yang
Lab Manager

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 5 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

Tests Conducted:

As requested by the customer, for details refer to attached page(s).

| Tested Sample(s) | Standard | Result |
|------------------|---|-----------------|
| Submitted | 1. a Hasbro Safety and Reliability Specification SRS-046 (REV.W).Clause 5.6 | Pass |
| Sample(s) | b. Di-iso-octyl phthalate(DIOP)Content | See page 36~39 |
| | 2. Mattel Quality and Safety Operating Procedure No. 0006-3610 (Rev.2.00). Clause 2.2 | Pass |
| | 3. Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No.552/2009 (formerly known as Directive 2005/84/EC) | Pass |
| | 4. McDonald's Corporation RSS(Revision 9) Phthalates Content | See page 87~123 |



Prepared By: 郑姣姣
Zheng Jiaojiao
Lab Clerk

Checked By: 陈丽红
Chen Lihong
Lab Supervisor

Approved By: 杨青
Kevin Yang
Lab Manager

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 6 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

Tests Conducted:

1. A.SRS-046 REV. W PHTHALATE CONTENTS

Test Method: As Per Hasbro Inc. Corporate Quality Assurance Safety And Reliability Specification SRS-046 Rev. W, With Reference To CPSC-CH-C1001-09.3:2010, Analysis Was Preformed By Gas Chromatographic-Mass Spectrometric (GC-MS).

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 1 | 2 | 3 | 4 | 5 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 7 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 6 | 7 | 8 | 9 | 10 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 8 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 11 | 12 | 13 | 14 | 15 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 9 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 16 | 17 | 18 | 19 | 20 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 10 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>21</u> | <u>22</u> | <u>23</u> | <u>24</u> | <u>25</u> | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 11 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 26 | 27 | 28 | 29 | 30 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 12 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 31 | 32 | 33 | 35 | 36 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 13 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 37 | 38 | 39 | 40 | 41 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 14 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 42 | 43 | 44 | 45 | 46 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 15 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 47 | 48 | 52 | 53 | 54 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 16 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 55 | 56 | 57 | 58 | 59 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 17 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 60 | 61 | 62 | 63 | 64 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 18 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|--------------------------|----|----|----|----------------------|----------------------------------|
| | | 65 | 66 | 67 | 69 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 19 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 70 | 71 | 72 | 73 | 74 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 20 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 75 | 76 | 77 | 78 | 79 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 21 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 80 | 81 | 83 | 84 | 85 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 22 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 86 | 87 | 88 | 89 | 90 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 23 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|-----|----------------------|----------------------------------|
| | | 91 | 92 | 93 | 94 | 104 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 24 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|-----|-----|-----|-----|--------------------------|-------------------------------------|
| | | 105 | 106 | 107 | 108 | 109 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 25 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|-----|-----|-----|-----|--------------------------|-------------------------------------|
| | | 110 | 111 | 112 | 113 | 114 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 26 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|-----|-----|-----|-----|--------------------------|-------------------------------------|
| | | 115 | 116 | 117 | 118 | 119 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

Remark: ppm = parts per million based on the dry weight of tested sample(s)

(mg/Kg = Milligram per Kilogram based on the dry weight of tested sample(s))

RDL= Report detection Limit

ND=Not Detected (lower than RDL)

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 27 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| ELEMENT \ SAMPLE(S) | CAS No. | RESULT IN PPM (MG/KG) | | | | | | RDL IN PPM(MG/KG) | REQUIRE D LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|-----------|-----------|-----------|-----------|-----------|-------------------|--------------------------------|
| | | <u>34</u> | <u>49</u> | <u>50</u> | <u>51</u> | <u>68</u> | <u>82</u> | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 28 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|----|----|----|----|----------------------|----------------------------------|
| | | 95 | 96 | 97 | 98 | 99 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 29 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|------------|------------|------------|------------|--------------------------|-------------------------------------|
| | | <u>100</u> | <u>101</u> | <u>102</u> | <u>103</u> | <u>120</u> | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 30 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|-----|-----|-----|-----|--------------------------|-------------------------------------|
| | | 121 | 122 | 123 | 124 | 125 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 31 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|------------|------------|------------|------------|--------------------------|-------------------------------------|
| | | <u>126</u> | <u>127</u> | <u>128</u> | <u>129</u> | <u>130</u> | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 32 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | | | RDL IN PPM(MG/K G) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|------------|------------|------------|------------|--------------------------|-------------------------------------|
| | | <u>131</u> | <u>132</u> | <u>133</u> | <u>134</u> | <u>135</u> | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 33 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| ELEMENT | SAMPLE(S) | CAS No. | RESULT IN PPM (MG/KG) | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|-----------|--------------------------|--------------------------|-----|-----|----------------------|----------------------------------|
| | | | 136 | 137 | 138 | | |
| Dibutyl Phthalate (DBP) | | 84-74-2 | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | | 85-68-7 | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | | 117-81-7 | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | | 117-84-0 | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | | 28553-12-0 68515-48-0 | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | | 26761-40-0 68515-49-1 | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | | -- | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | | -- | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | | 131-18-0 | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | | 84-61-7 | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | | 84-69-5 | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | | 84-75-3 | ND | ND | ND | 50 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 34 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM (MG/KG) | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|---------------------------------|--------------------------|-----------------------|------------|------------|----------------------|----------------------------------|
| | | <u>139</u> | <u>140</u> | <u>141</u> | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | 50 | -- |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | 50 | -- |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | 50 | -- |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | 50 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | 150 | -- |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | 150 | -- |
| Total(DBP + BBP+ DEHP) | -- | ND | ND | ND | 50 | 1000 |
| Total(DINP+ DNOP+ DIDP) | -- | ND | ND | ND | 150 | 1000 |
| Di-n-pentyl Phthalate (DPENP) | 131-18-0 | ND | ND | ND | 50 | 1000 |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | ND | ND | ND | 50 | 1000 |
| Diisobutyl Phthalate (DiBP) | 84-69-5 | ND | ND | ND | 50 | 1000 |
| Di-(n-Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | 50 | 1000 |

Remark: ppm = parts per million

(mg/Kg = Milligram per Kilogram)

RDL= Report detection Limit

ND=Not Detected (lower than RDL)

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 35 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

1.B. DI-ISO-OCTYL PHTHALATE(DIOP)CONTENT

Test Method: With Reference To CPSC-CH-C1001-09.3:2010, Analysis Was Preformed By Gas Chromatographic-Mass Spectrometric (GC-MS).

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|----------|----------|----------|----------|----------------------|----------------------------------|
| | | <u>1</u> | <u>2</u> | <u>3</u> | <u>4</u> | <u>5</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|----------|----------|----------|-----------|----------------------|----------------------------------|
| | | <u>6</u> | <u>7</u> | <u>8</u> | <u>9</u> | <u>10</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>11</u> | <u>12</u> | <u>13</u> | <u>14</u> | <u>15</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>16</u> | <u>17</u> | <u>18</u> | <u>19</u> | <u>20</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>21</u> | <u>22</u> | <u>23</u> | <u>24</u> | <u>25</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>26</u> | <u>27</u> | <u>28</u> | <u>29</u> | <u>30</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>31</u> | <u>32</u> | <u>33</u> | <u>35</u> | <u>36</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>37</u> | <u>38</u> | <u>39</u> | <u>40</u> | <u>41</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 36 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>42</u> | <u>43</u> | <u>44</u> | <u>45</u> | <u>46</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>47</u> | <u>48</u> | <u>52</u> | <u>53</u> | <u>54</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>55</u> | <u>56</u> | <u>57</u> | <u>58</u> | <u>59</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>60</u> | <u>61</u> | <u>62</u> | <u>63</u> | <u>64</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>65</u> | <u>66</u> | <u>67</u> | <u>69</u> | <u>70</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>71</u> | <u>72</u> | <u>73</u> | <u>74</u> | <u>75</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>76</u> | <u>77</u> | <u>78</u> | <u>79</u> | <u>80</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>81</u> | <u>83</u> | <u>84</u> | <u>85</u> | <u>86</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>87</u> | <u>88</u> | <u>89</u> | <u>90</u> | <u>91</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 37 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|------------|------------|----------------------|----------------------------------|
| | | <u>92</u> | <u>93</u> | <u>94</u> | <u>104</u> | <u>105</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|----------------------|-------------------------------------|
| | | <u>106</u> | <u>107</u> | <u>108</u> | <u>109</u> | <u>110</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|----------------------|-------------------------------------|
| | | <u>111</u> | <u>112</u> | <u>113</u> | <u>114</u> | <u>115</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|----------------------|-------------------------------------|
| | | <u>116</u> | <u>117</u> | <u>118</u> | <u>119</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | 50 | REFERENCE |

Remark: ppm = parts per million based on the dry weight of tested sample(s)

(mg/Kg = Milligram per Kilogram based on the dry weight of tested sample(s))

RDL= Report detection Limit

ND=Not Detected (lower than RDL)

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>34</u> | <u>49</u> | <u>50</u> | <u>51</u> | <u>68</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|-----------|-----------|-----------|-----------|----------------------|----------------------------------|
| | | <u>82</u> | <u>95</u> | <u>96</u> | <u>97</u> | <u>98</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| SAMPLE(S) ELEMENT | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | REQUIRED LIMIT IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|----------------------|----------------------------------|
| | | <u>99</u> | <u>100</u> | <u>101</u> | <u>102</u> | <u>103</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 38 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| ELEMENT \ SAMPLE(S) | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | <u>REQUIRED LIMIT</u> IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|-------------------|---|
| | | <u>120</u> | <u>121</u> | <u>122</u> | <u>123</u> | <u>124</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| ELEMENT \ SAMPLE(S) | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | <u>REQUIRED LIMIT</u> IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|-------------------|---|
| | | <u>125</u> | <u>126</u> | <u>127</u> | <u>128</u> | <u>129</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| ELEMENT \ SAMPLE(S) | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | <u>REQUIRED LIMIT</u> IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|-------------------|---|
| | | <u>130</u> | <u>131</u> | <u>132</u> | <u>133</u> | <u>134</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| ELEMENT \ SAMPLE(S) | CAS No. | RESULT IN PPM(MG/KG) | | | | | RDL IN PPM(MG/KG) | <u>REQUIRED LIMIT</u> IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|------------|------------|------------|-------------------|---|
| | | <u>135</u> | <u>136</u> | <u>137</u> | <u>138</u> | <u>139</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 50 | REFERENCE |

| ELEMENT \ SAMPLE(S) | CAS No. | RESULT IN PPM(MG/KG) | | RDL IN PPM(MG/KG) | <u>REQUIRED LIMIT</u> IN PPM (MG/KG) |
|-------------------------------|------------|----------------------|------------|-------------------|---|
| | | <u>140</u> | <u>141</u> | | |
| Di-iso-octyl phthalate (DiOP) | 27554-26-3 | ND | ND | 50 | REFERENCE |

Remark: ppm = parts per million

(mg/Kg = Milligram per Kilogram)

RDL= Report detection Limit

ND=Not Detected (lower than RDL)

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 39 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

2. MATTEL QUALITY AND SAFETY OPERATING PROCEDURE NO. 0006-3610 (REV. 2.00)

Test Method: With Reference To GLOP 0006-7420 Rev 1.00, Analysis Was Preformed By Gas Chromatographic-Mass Spectrometric (GC-MS) Analysis.

| Test Item | CAS No. | Result (%, w/w) | | | | RDL(%, w/w) |
|---------------------------------|--------------------------|-----------------|------------|------------|------------|-------------|
| | | <u>1</u> | <u>2</u> | <u>3</u> | <u>4</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 40 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>5</u> | <u>6</u> | <u>7</u> | <u>8</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 41 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>9</u> | <u>10</u> | <u>11</u> | <u>12</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 42 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>13</u> | <u>14</u> | <u>15</u> | <u>16</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 43 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>17</u> | <u>18</u> | <u>19</u> | <u>20</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 44 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>21</u> | <u>22</u> | <u>23</u> | <u>24</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 45 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>25</u> | <u>26</u> | <u>27</u> | <u>28</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 46 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>29</u> | <u>30</u> | <u>31</u> | <u>32</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 47 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>33</u> | <u>35</u> | <u>36</u> | <u>37</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 48 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>38</u> | <u>39</u> | <u>40</u> | <u>41</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 49 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>42</u> | <u>43</u> | <u>44</u> | <u>45</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 50 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>46</u> | <u>47</u> | <u>48</u> | <u>52</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 51 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>53</u> | <u>54</u> | <u>55</u> | <u>56</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 52 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>57</u> | <u>58</u> | <u>59</u> | <u>60</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 53 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>61</u> | <u>62</u> | <u>63</u> | <u>64</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 54 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>65</u> | <u>66</u> | <u>67</u> | <u>69</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 55 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>70</u> | <u>71</u> | <u>72</u> | <u>73</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 56 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>74</u> | <u>75</u> | <u>76</u> | <u>77</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 57 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>78</u> | <u>79</u> | <u>80</u> | <u>81</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 58 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>83</u> | <u>84</u> | <u>85</u> | <u>86</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 59 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>87</u> | <u>88</u> | <u>89</u> | <u>90</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 60 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>91</u> | <u>92</u> | <u>93</u> | <u>94</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 61 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>104</u> | <u>105</u> | <u>106</u> | <u>107</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 62 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>108</u> | <u>109</u> | <u>110</u> | <u>111</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 63 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>112</u> | <u>113</u> | <u>114</u> | <u>115</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 64 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>116</u> | <u>117</u> | <u>118</u> | <u>119</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

Remark: RDL= Report detection Limit

ND=Not Detected (lower than RDL)

%=Percentage based on the dry weight of tested sample(s)

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 65 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>34</u> | <u>49</u> | <u>50</u> | <u>51</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 66 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>68</u> | <u>82</u> | <u>95</u> | <u>96</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 67 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>97</u> | <u>98</u> | <u>99</u> | <u>100</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 68 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>101</u> | <u>102</u> | <u>103</u> | <u>120</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 69 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>121</u> | <u>122</u> | <u>123</u> | <u>124</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 70 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>125</u> | <u>126</u> | <u>127</u> | <u>128</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 71 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>129</u> | <u>130</u> | <u>131</u> | <u>132</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 72 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>133</u> | <u>134</u> | <u>135</u> | <u>136</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 73 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | | | | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|------------|------------|------------|--------------|
| | | <u>137</u> | <u>138</u> | <u>139</u> | <u>140</u> | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | ND | ND | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | 0.025 |
| Sum Of Six Phthalates | | ND | ND | ND | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | 0.1% (w/w) | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 74 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (% , w/w) | RDL(% , w/w) |
|---------------------------------|--------------------------|------------------|--------------|
| | | 141 | |
| Di-(n- Hexyl) Phthalate (DnHP) | 84-75-3 | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | -- |
| Diisobutyl phthalate (DiBP) | 84-69-5 | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | -- |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | -- |
| Dicyclohexyl phthalates(DCHP) | 84-61-7 | ND | 0.005 |
| Limit (Max.) | | 0.1% (w/w) | -- |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | 0.005 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | 0.005 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | 0.005 |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | 0.025 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | 0.005 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | 0.025 |
| Sum Of Six Phthalates | | ND | 0.025 |
| Limit (Max.) | | 0.1% (w/w) | -- |

Remark: RDL= Report detection Limit

ND=Not Detected (lower than RDL)

%=Percentage

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 75 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

**3. PHTHALATES CONTENT REQUIREMENT IN ANNEX XVII ITEMS 51 & 52 OF THE REACH
REGULATION (EC) NO. 1907/2006 & AMENDMENT NO.552/2009 (FORMERLY KNOWN AS
DIRECTIVE 2005/84/EC)**

Test Method: With Reference to CPSC-CH-C1001-09.3:2010, Analysis Was Preformed By Gas
Chromatographic-Mass Spectrometric (GC-MS).

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|----------|----------|----------|----------|----------|----------|----------------|
| | | <u>1</u> | <u>2</u> | <u>3</u> | <u>4</u> | <u>5</u> | <u>6</u> | <u>7</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|----------|-----------|-----------|-----------|-----------|-----------|----------------|
| | | <u>8</u> | <u>9</u> | <u>10</u> | <u>11</u> | <u>12</u> | <u>13</u> | <u>14</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 76 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 15 | 16 | 17 | 18 | 19 | 20 | 21 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 22 | 23 | 24 | 25 | 26 | 27 | 28 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 77 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|
| | | <u>29</u> | <u>30</u> | <u>31</u> | <u>32</u> | <u>33</u> | <u>35</u> | <u>36</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|
| | | <u>37</u> | <u>38</u> | <u>39</u> | <u>40</u> | <u>41</u> | <u>42</u> | <u>43</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 78 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 44 | 45 | 46 | 47 | 48 | 52 | 53 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 54 | 55 | 56 | 57 | 58 | 59 | 60 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 79 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 69 | 70 | 71 | 72 | 73 | 74 | 75 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 80 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|
| | | <u>76</u> | <u>77</u> | <u>78</u> | <u>79</u> | <u>80</u> | <u>81</u> | <u>83</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|
| | | <u>84</u> | <u>85</u> | <u>86</u> | <u>87</u> | <u>88</u> | <u>89</u> | <u>90</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 81 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|-----------|-----------|-----------|------------|------------|------------|----------------|
| | | <u>91</u> | <u>92</u> | <u>93</u> | <u>94</u> | <u>104</u> | <u>105</u> | <u>106</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------------|------------|------------|------------|------------|------------|----------------|
| | | <u>107</u> | <u>108</u> | <u>109</u> | <u>110</u> | <u>111</u> | <u>112</u> | <u>113</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 82 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|----------------|
| | | 114 | 115 | 116 | 117 | 118 | 119 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

RDL= Report Detection Limit

ND=Not Detected (lower than RDL)

mg/Kg = Milligram per Kilogram based on the dry weight of tested sample(s)

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 34 | 49 | 50 | 51 | 68 | 82 | 95 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 83 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 96 | 97 | 98 | 99 | 100 | 101 | 102 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 103 | 120 | 121 | 122 | 123 | 124 | 125 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 84 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 126 | 127 | 128 | 129 | 130 | 131 | 132 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

| Test Item | CAS No. | Result (MG/KG) | | | | | | | RDL (MG/KG) |
|----------------------------------|--------------------------|----------------|------|------|------|------|------|------|----------------|
| | | 133 | 134 | 135 | 136 | 137 | 138 | 139 | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | 50 |
| Di-(Iso-Decetyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | ND | ND | ND | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | -- |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 85 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Test Item | CAS No. | Result (MG/KG) | | RDL (MG/KG) |
|---------------------------------|--------------------------|----------------|------------|----------------|
| | | <u>140</u> | <u>141</u> | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | 50 |
| Diethyl Hexyl Phthalate (DEHP) | 117-81-7 | ND | ND | 50 |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | ND | ND | 50 |
| Sum Of Three Phthalates | | ND | ND | 50 |
| Limit (Max.) | | 1000 | 1000 | -- |
| Di-(Iso-Nonyl) Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | 150 |
| Di-(N-Octyl) Phthalate (DNOP) | 117-84-0 | ND | ND | 50 |
| Di-(Iso-Decyl)Phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | 150 |
| Sum Of Three Phthalates | | ND | ND | 150 |
| Limit (Max.) | | 1000 | 1000 | -- |

RDL= Report Detection Limit

ND=Not Detected (lower than RDL)

mg/Kg = Milligram per Kilogram

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 86 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

4. MCDONALD'S CORPORATION RSS(REVISION 9) PHTHALATES CONTENTS (COMMOM)

Test Method: With Reference to CPSC-CH-C1001-09.3:2010, Analysis Was Preformed By Gas

Chromatographic-Mass Spectrometric (GC-MS).

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 87 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 28 | 29 | 30 | 31 | 32 | 33 | 35 | 36 | 37 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 88 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|------|-------|
| | | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 | |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- | |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- | |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 | |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 47 | 48 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 89 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 90 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 78 | 79 | 80 | 81 | 83 | 84 | 85 | 86 | 87 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|-----|-----|-----|-------|
| | | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 104 | 105 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 91 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-------|
| | | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 | |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- | |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- | |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- | |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 | |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|-----|-----|-----|-----|-----|-------|
| | | 115 | 116 | 117 | 118 | 119 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | 50 |

mg/Kg = Milligram per Kilogram based on the dry weight of tested sample(s)

RDL= Report Detection Limit

ND=Not Detected (lower than RDL)

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 92 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|----|----|----|----|----|----|----|-----|-------|
| | | 34 | 49 | 50 | 51 | 68 | 82 | 95 | 96 | 97 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| | | 98 | 99 | 100 | 101 | 102 | 103 | 120 | 121 | 122 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 93 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| | | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

(Unit: mg/Kg)

| Sample Substance | CAS No. | Result | | | | | | | | | | RDL | Limit |
|----------------------------------|--------------------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| | | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | | |
| Butyl benzyl phthalate(BBP) | 85-68-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Dibutyl phthalate(DBP) | 84-74-2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di(2-ethylhexyl) phthalate(DEHP) | 117-81-7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Total of(BBP+DBP+DEHP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 1000 |
| Di-iso-decyl phthalate(DIDP) | 26761-40-0 68515-49-1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Di-n-octyl phthalate(DnOP) | 117-84-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | -- |
| Di-iso-nonyl phthalate(DINP) | 28553-12-0 68515-48-0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | -- |
| Total of(DIDP+DnOP+DINP) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 150 | 1000 |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 50 | 50 |

mg/Kg = Milligram per Kilogram

RDL= Report Detection Limit

ND=Not Detected (lower than RDL)

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 94 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

4. MCDONALD'S CORPORATION RSS(REVISION 9) PHTHALATES CONTENTS (UNCOMMON)

Test Method: With Reference to CPSC-CH-C1001-09.3:2010, Analysis Was Preformed By Gas

Chromatographic-Mass Spectrometric (GC-MS).

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 1 | 2 | 3 | 4 | 5 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 95 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 6 | 7 | 8 | 9 | 10 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 96 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 11 | 12 | 13 | 14 | 15 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 97 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 16 | 17 | 18 | 19 | 20 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 98 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 21 | 22 | 23 | 24 | 25 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 99 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 26 | 27 | 28 | 29 | 30 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 100 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 31 | 32 | 33 | 35 | 36 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 101 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 37 | 38 | 39 | 40 | 41 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 102 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 42 | 43 | 44 | 45 | 46 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 103 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 47 | 48 | 52 | 53 | 54 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 104 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 55 | 56 | 57 | 58 | 59 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 105 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 60 | 61 | 62 | 63 | 64 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 106 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 65 | 66 | 67 | 69 | 70 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 107 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 71 | 72 | 73 | 74 | 75 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 108 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 76 | 77 | 78 | 79 | 80 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 109 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 81 | 83 | 84 | 85 | 86 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 110 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 87 | 88 | 89 | 90 | 91 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 111 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|-----|-----|-----|----------------|
| | | 92 | 93 | 94 | 104 | 105 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 112 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 106 | 107 | 108 | 109 | 110 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 113 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 111 | 112 | 113 | 114 | 115 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 114 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|----------------|
| | | 116 | 117 | 118 | 119 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | 150 | 1000 |

mg/Kg = Milligram per Kilogram based on the dry weight of tested sample(s)

RDL= Report Detection Limit

ND=Not Detected (lower than RDL)

<=less than

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 115 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 34 | 49 | 50 | 51 | 68 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 116 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|----|----|----|----|-----|----------------|
| | | 82 | 95 | 96 | 97 | 98 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 117 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 99 | 100 | 101 | 102 | 103 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 118 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 120 | 121 | 122 | 123 | 124 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 119 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 125 | 126 | 127 | 128 | 129 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 120 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 130 | 131 | 132 | 133 | 134 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 121 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | | | | RDL | Limit |
|--|-------------|--------|-----|-----|-----|-----|-----|----------------|
| | | 135 | 136 | 137 | 138 | 139 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | ND | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | ND | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | ND | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | ND | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | ND | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | ND | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | ND | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | ND | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | ND | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | ND | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | ND | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | ND | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | ND | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | ND | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | ND | ND | ND | 150 | 1000 |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 122 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

(Unit: mg/kg)

| Sample Substance | CAS No. | Result | | RDL | Limit |
|--|-------------|--------|-----|-----|----------------|
| | | 140 | 141 | | |
| Dimethyl phthalate(DMP) | 131-11-3 | ND | ND | 50 | Sum of all<500 |
| Diethyl phthalate(DEP) | 84-66-2 | ND | ND | 50 | |
| Dicyclohexyl phthalate(DCHP) | 84-61-7 | ND | ND | 50 | |
| Di-n-nonyl phthalate(DNP) | 84-76-4 | ND | ND | 50 | |
| Di-n-propyl phthalate(DPP,DPrP) | 131-16-8 | ND | ND | 50 | |
| Dissobutyl phthalate(DIBP) | 84-69-5 | ND | ND | 50 | |
| Di-n-pentyl phthalate (DNPP,DPP) | 131-18-0 | ND | ND | 50 | |
| Di-n-hexyl phthalate(DnHP) | 84-75-3 | ND | ND | 50 | |
| Diisooctyl phthalate(DiOP) | 27554-26-3 | ND | ND | 150 | |
| Diallyl phthalate(DAP) | 131-17-9 | ND | ND | 50 | |
| N-pentyl-isopentyl phthalate(NPIPP) | 776297-69-9 | ND | ND | 50 | 500 |
| Di-isopentyl phthalate(DIPP) | 605-50-5 | ND | ND | 50 | |
| Bis(2-methoxyethyl) phthalate(DMEP) | 117-82-8 | ND | ND | 50 | |
| Di-iso-heptyl phthalate(DIHP) | 71888-89-6 | ND | ND | 150 | |
| Di-(heptyl,nonyl,undecyl) phthalate(DHNUP) | 68515-42-4 | ND | ND | 150 | 1000 |

mg/Kg = Milligram per Kilogram

RDL= Report Detection Limit

ND=Not Detected (lower than RDL)

<=less than

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 123 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

The Following Sample Information Was Provided By Customer

| Item | Description | Sample No. | Sample Batch No. | Color |
|------|----------------|------------|------------------|-----------|
| 1 | ACA 类 PVC 涂料 | ACA-100 | 1712CM-0303 | Clear |
| 2 | ACB 类 PVC 涂料 | ACB-100 | 1712C-0019 | Clear |
| 3 | ACD 类 PVC 涂料 | ACD-100 | 1712CM-0305 | Clear |
| 4 | ACF 类 PVC 涂料 | ACF-100 | 1710CM-0404 | Clear |
| 5 | ACL 类 PVC 涂料 | ACL-100 | 1712CM-0135 | Clear |
| 6 | ACM 类 PVC 涂料 | ACM-100 | 1708CM-0508 | Milkiness |
| 7 | ACU 类 PVC 涂料 | ACU-100 | 1707CM-0614 | Clear |
| 8 | AC 类 PVC 涂料 | AC-100 | 1712CM-0304 | Clear |
| 9 | AGD 类 PVC 移印 | AGD-100 | 1611CM-0645 | Milkiness |
| 10 | AG 类 PVC 移印 | AG-100 | 1712C-0009 | Clear |
| 11 | AGL 类 PVC 移印油墨 | AGL-100 | 1711CM-0025 | Clear |
| 12 | AHG 类 PVC 移印 | AHG-100 | 1712C-0019 | Clear |
| 13 | 增光剂 | AK-04 | 1712CM-0112 | Yellowish |
| 14 | BA 类丙烯酸烤漆 | BA-100 | 1711CM-0483 | Clear |
| 15 | BH 类烤漆 | BH-100 | 1711CM-0489 | Clear |
| 16 | BHA 类合金烤漆 | BHA-100 | 1710CM-0109 | Clear |
| 17 | BKA 类烤漆 | BKA-100 | 1711CM-0320 | Clear |
| 18 | BKB 类烤漆 | BKB-100 | 1710CM-0119 | Clear |
| 19 | DEA 类 TPE 涂料 | DEA-100 | 1712CM-0078 | Clear |
| 20 | DES 类高弹性橡胶喷油 | DES-100 | 1710CM-0345 | Clear |
| 21 | DE 类 TPE 涂料 | DE-100 | 1711CM-0443 | Clear |
| 22 | DH 类 TPE 涂料 | DH-100 | 1710CM-0322 | Clear |
| 23 | DHG 类橡胶移印油墨 | DHG-100 | 1710CM-0322 | Clear |
| 24 | DKA 类 TPE 涂料 | DKA-100 | 1707CM-0462 | Clear |
| 25 | DK 类 TPE 涂料 | DK-100 | 1710CM-0305 | Clear |
| 26 | DNA 类双组份涂料 | DNA-100 | 1709CM-0325 | Clear |
| 27 | DNB 类双组份油漆 | DNB-100 | 1708CM-0238 | Clear |
| 28 | DG 类橡胶移印油墨 | DG-100 | 1709CM-0306 | Clear |
| 29 | DP 类 TPE 涂料 | DP-100 | 1705CM-0532 | Clear |
| 30 | NCA 硝基面漆 | NCA-1001 | 1711CM-0446 | Clear |
| 31 | NCB 硝基底漆 | NCB-100 | 1708C-0052 | Clear |
| 32 | NC 类风干涂料 | NC-100 | 1711CM-0302 | Clear |
| 33 | NG 类移印油墨 | NG-100 | 1708CM-0527 | Clear |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 124 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Description | Sample No. | Sample Batch No. | Color |
|------|----------------|------------|------------------|-----------------|
| 34 | UV 类光固化涂料 | UV-210 | 1711CM-0419 | Clear |
| 35 | 固化剂 | N-200 | 2M171012 | Clear |
| 36 | PG 类 ABS 移印 | PG-100 | 1710CM-0436 | Clear |
| 37 | PBG 类移印油墨 | PBG-100 | 1711CM-0052 | Khaki |
| 38 | PB 类真空电镀涂料 | PB-100 | 1710CM-0317 | Clear |
| 39 | 哑浆 | ME-002 | 1712CM-0144 | Milkiness |
| 40 | PHA 类硬胶涂料 | PHA-100 | 1712CM-0150 | Clear |
| 41 | PHB 类硬胶涂料 | PHB-100 | 1712CM-0017 | Clear |
| 42 | PHG 类 ABS 移印 | PHG-100 | 1709CM-0323 | Clear |
| 43 | PH 类 ABS 涂料 | PH-100 | 1712CM-0136 | Clear |
| 44 | PMR 类 ABS 涂料 | PMR-100 | 1709CM-0169 | Clear |
| 45 | PPA 类涂料 | PPA-100 | 171102 | Clear |
| 46 | PPD 类 PP 一次性涂料 | PPD-100 | 1712C-0012 | Clear |
| 47 | PPGA 一次性移印油墨 | PPGA-100 | 1703CM-0479 | Yellowish |
| 48 | PPS 类 PP 一次性涂料 | PPS-100 | 1711CM-0374 | Clear |
| 49 | PP 底水 | PPB-100A | 1712AM-2479 | Clear |
| 50 | PP 料底水 | PP-400 | 1709C-0025 | Clear |
| 51 | EVA 料底水 | EVA-100Q/B | FN-5401-170803 | Clear |
| 52 | PRG 类 ABS 移印 | PRG-100 | 1709CM-0502 | Clear |
| 53 | PSB 硬胶涂料 | PSB-100 | 1710CM-0261 | Clear |
| 54 | PSC 硬胶涂料 | PSC-100 | 1704CM-0097 | Clear |
| 55 | PSE 硬胶涂料 | PSE-100 | 1709CM-0424 | Clear |
| 56 | PSK 硬胶涂料 | PSK-100 | 1708CM-0079 | Clear |
| 57 | PSS 类 ABS 涂料 | PSS-100 | CF711271 | Clear |
| 58 | PS 类 ABS 涂料 | PS-100 | CF709021 | Clear |
| 59 | PT 类 ABS 涂料 | PT-100 | 1711CM-0233 | Clear |
| 60 | AP 类抹渍油 | AP-100 | 20171025 | Clear |
| 61 | APR 类硬胶涂料 | APR-100 | K17D07G1801 | Clear |
| 62 | PUA PU 面漆 | PUA-100 | 1704CM-0440 | Slightly Turbid |
| 63 | PUB PU 底漆 | PUB-100 | 1712CM-0043 | Turbid |
| 64 | PU 涂料 | PU-100 | 1711CM-0356 | Clear |
| 65 | SD 类 ABS 涂料 | SD-100 | 170930-912 | Clear |
| 66 | SMB 丝印油墨 | SMB-100 | 1707CM-0212 | Clear |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 125 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report
No.:YHJC201712230020
 Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Description | Sample No. | Sample Batch No. | Color |
|------|------------------|------------|------------------|-----------------------|
| 67 | SPP 类 PP 丝印油墨 | SPP-100 | 1703CM-0144 | Milkiess |
| 68 | SP 类双组分手感涂料 | SP-310 | 1710C-0024 | Milkiess |
| 69 | SSA 类 PVC 亮光丝印油墨 | SSA-100 | 1710CM-0219 | Lucency Yellow |
| 70 | TPU 类 TPU 涂料 | TPU-100 | 1702CM-0478 | Clear |
| 71 | TPA 类 TPA 涂料 | TPA-100 | 1711CM-0480 | Clear |
| 72 | WSA 类水性环保弹性胶浆 | WSA-100 | 1708CM-0296 | Clear |
| 73 | MP 类 MPB 底漆 | MPB-1000 | 1712K-0001 | Clear |
| 74 | MP 类 MPA 面漆 | MPA-1000 | 1712K-0017 | Clear |
| 75 | MG 类 MGB 底漆 | MGB-1020 | 1712K-0154 | White |
| 76 | MG 类 MGA 面漆 | MGA-1020 | 1712K-0156 | White |
| 77 | MLA 立式滚涂漆 | MLA-1000 | 1712K-0025 | Clear |
| 78 | ME 类 MEB 底漆 | MEB-1010 | 1712K-0301 | Clear |
| 79 | ME 类 MEA 面漆 | MEA-1010 | 1712K-0302 | Clear |
| 80 | MU 类 MUB 底漆 | MUB-1020 | 1712K-0205 | White |
| 81 | MU 类 MUA 底漆 | MUA-1020 | 1712K-0206 | White |
| 82 | MU 类 MUG 固化剂 | MUG-200A | 1712K-0009 | Yellowish |
| 83 | MF 类补土 | MFB-1020 | 1712K-0016 | White |
| 84 | 橡胶喷油 | DEF-100 | 1712CM-0163 | Clear |
| 85 | 橡胶喷油 | DEE-100 | 1712CM-0004 | Clear |
| 86 | 色粉 | 801 | 20170928 | Silver |
| 87 | 色粉 | 819 | 20170719 | Silver |
| 88 | 色粉 | 815 | 20161024 | Silver |
| 89 | 色粉 | 826 | 20170720 | Silver |
| 90 | 色粉 | 802J | 170414 | Silver |
| 91 | 色粉 | 803 | 20160721 | Silver |
| 92 | 色粉 | 817 | 20170628 | Silver |
| 93 | 色粉 | 819A | 20161107 | Silver |
| 94 | 色粉 | 822 | 20170526 | Silver |
| 95 | 色粉 | 111 | 161959 | Fluorescent Green |
| 96 | 色粉 | 112 | 161345 | Fluorescent Yellow |
| 97 | 色粉 | 113 | 161631 | Fluorescent Peachblow |
| 98 | 色粉 | 115 | 170712 | Fluorescent Mauve |
| 99 | 色粉 | 116 | 170175 | Fluorescent Orange |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 126 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
 Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Description | Sample No. | Sample Batch No. | Color |
|------|-------------|------------|------------------|------------------|
| 100 | 色粉 | 117 | 160530 | Fluorescent Red |
| 101 | 色粉 | 118 | 161859 | Fluorescent Blue |
| 102 | 色粉 | 121 | 17.08.23 | Pearl White |
| 103 | 色粉 | 122 | 17071703 | Gold Pearl |
| 104 | 色浆 | 102 | 1712CM-0083 | White |
| 105 | 色浆 | 201 | 1711CM-0277 | Thick Yellow |
| 106 | 色浆 | 202 | 1712CM-0122 | Middle Yellow |
| 107 | 色浆 | 203 | 1711CM-0030 | Lemon Yellow |
| 108 | 色浆 | 204 | 1712CM-0118 | Lemon Yellow |
| 109 | 色浆 | 301 | 1711CM-0411 | Bright Red |
| 110 | 色浆 | 302 | 1711CM-0413 | Cardinal Red |
| 111 | 色浆 | 305 | 1710CM-0297 | Orange |
| 112 | 色浆 | 306 | 1712CM-0173 | Salmon Pink |
| 113 | 色浆 | 401 | 1711CM-0477 | Indigo |
| 114 | 色浆 | 402 | 1709C-0002 | Mauve |
| 115 | 色浆 | 403 | 1711CM-0236 | Emerald Blue |
| 116 | 色浆 | 406 | 1712CM-0127 | Ultramarine |
| 117 | 色浆 | 501 | 1711CM-0508 | Black |
| 118 | 色浆 | 502 | 1709CM-0138 | Extremely Black |
| 119 | 色浆 | 601 | 1712CM-0066 | Green |
| 120 | 单体溶剂 | S-1 | 17120602 | Clear |
| 121 | 单体溶剂 | S-1A | 17112101 | Clear |
| 122 | 单体溶剂 | S-3 | 2017112110 | Clear |
| 123 | 单体溶剂 | S-4 | 17111701 | Clear |
| 124 | 单体溶剂 | S-6 | 17112301 | Clear |
| 125 | 单体溶剂 | S-8A | 17111601 | Clear |
| 126 | 单体溶剂 | S-10 | 17111301 | Clear |
| 127 | 单体溶剂 | S-11 | 17120101 | Clear |
| 128 | 单体溶剂 | S-12 | 17110801 | Clear |
| 129 | 单体溶剂 | S-14 | 17112801 | Clear |
| 130 | 单体溶剂 | S-14A | 17120501 | Clear |
| 131 | 单体溶剂 | S-15 | 17120502 | Clear |
| 132 | 单体溶剂 | S-19 | ZLH11179 | Clear |

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 127 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700

Test Report

No.:YHJC201712230020

Forever Testing (Int'l) Limited.

Date: Jan.13.2018

| Item | Description | Sample No. | Sample Batch No. | Color |
|------|-------------|------------|------------------|-------|
| 133 | 单体溶剂 | S-20 | 17112701 | Clear |
| 134 | 单体溶剂 | S-25 | 201711-9521 | Clear |
| 135 | 单体溶剂 | S-33 | PMA201710111A03 | Clear |
| 136 | 单体溶剂 | S-38 | C815H3BTC1 | Clear |
| 137 | 单体溶剂 | S-44 | G150607-1N | Clear |
| 138 | 单体溶剂 | S-45 | 20170913005 | Clear |
| 139 | 单体溶剂 | S-48 | GZZL20060314 | Clear |
| 140 | 单体溶剂 | S-52 | 20170908002 | Clear |
| 141 | 单体溶剂 | S-54 | C442D71003 | Clear |

End of Report

CONFIDENTIAL TRADE SECRET

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Forever Testing (Int'l) Limited.

Page 128 of 128

Add:12Floor,South Tower,ShuMao Building, XiangXing Road, Torch Development Zone,ZhongShan,Guangdong,China
Tel: 0760-88284699 Fax: 0760-88284700